

# **Technical Data Sheet**

Effective: 18/08/2020 Supersedes: 20/01/1999

### Automotive Aftermarket Division

### 3M<sup>™</sup> 08631 Glass Cleaner

### 1) Part Numbers

3M<sup>™</sup> 08631 : 500 ml (479 g) aerosol can

### 2) Description and end uses

3M<sup>™</sup> 08631 aerosol is a quick cleaning product for windshield, rear and side windows, and mirrors. It leaves surfaces bright and clean. It may also be used to clean automotive vinyl, interior plastic trim, clear plastic (e.g. Plexiglas), chrome and metal. It will not affect painted surfaces.

Base	Water based	
Colour	White	
Consistency	Foam	
Solvent	Water (5% by mass of the contents are flammable)	
Solid content	Approx. 0.5 %	
Propellant	Hydrocarbon	
VOC	50 g	
Application temperature	+15 °C to +30°C	

### 3) Physical Properties

#### 4) Directions for Use

- 1. Shake can before use.
- 2. Apply a liberal amount of cleaner at a distance of 20-30 cm from surface.
- 3. Let the white foam be active for 30 seconds.
- 4. Wipe dry with a clean soft cloth. Wipe from the outside perimeter to the centre of the glass.
- 5. Extremely dirty surfaces may require a second application.

Best results are obtained when the material is at room temperature.



# **Technical Data Sheet**

Effective: 18/08/2020 Supersedes: 20/01/1999

<u>Caution</u>: After use, invert can and purge nozzle.

### 5) Storage

Storage conditions	Cool dry place. Best results are obtained when material is stored and applied at room temperature, 15 to 30°C. Storage temperature must not exceed 50°C.	
Shelf life	12 months from date of manufacture under normal storage conditions. Refer "Lot Number" and "Best Before Date" on can.	

### 6) Safety

Please refer to the Material Safety Data Sheet or contact your local 3M<sup>™</sup> Toxicology Department.

3M<sup>™</sup> 08631 Glass Cleaner is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

#### 7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, 3M expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information



# **Technical Data Sheet**

Effective: 18/08/2020 Supersedes: 20/01/1999

### For Additional Health and Safety Information

3M United Kingdom plc	3M Ireland Limited	3M Denmark a/s
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
3M Centre,	The Iveagh Building	Hannemanns Allé 53
Cain Road,	Carrickmines Park	2300 København S
Bracknell,	Carrickmines , Dublin 18	
RG12 8HT	Tel: +353 12160301	
Tel: +44 (0)161 237 6391	aadukenquiries@mmm.com	Tel: +45 43480100
aadukenquiries@mmm.com	www.3Mbodyshop.co.uk	aadukenquiries@mmm.com
www.3Mbodyshop.co.uk		www.3MAuto.dk
3M Finland, Suomen 3M Oy	3M Svenska AB	3M Norge AS
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
Keilaranta 6	Herrjärva torg 4	Kanalveien 2
02150 Espoo	170 67 Solna	2004 Lillestrøm
Tel: 09 5252 1	Tel: 08-922100	Tel: 06384
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3M.fi/autotuotteet	www.3M.se/bileftermarkad	www.3m.no/auto
3M Latvija	3M Eesti OU	3M Lietuva
K.Ulmana 5	Pärnu mnt. 158	A.Goštauto str. 40 A
Riga, LV-1004	11317 Tallinn	LT-01112 Vilnius
Tel: +371 67066120	Tel: +372 6 115 902	Tel: +370 5 2160780
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3m.lv	www.3m.ee	<u>www.3m.lt</u>

© 3M 2020. 3M is a trademark of the 3M company. All rights reserved