

# **Technical Data Sheet**

Effective: 19/08/2020 Supersedes: 12/12/2001

## **Automotive Aftermarket Division**

## 3M™ Scuff-it™ Matt Gel 50018

### 1) Part Numbers

50018 (700g tube. 12 tubes/case)

### 2) Description and end uses'

3M<sup>™</sup> 50018 Scuff-it<sup>™</sup> is a combination of scuffing and cleaning gel for preparing original or refinish paints prior to fading out base coats and/or applying clear coats, single colour top coats or blending out clear coats and single colour top coats. 3M<sup>™</sup> recommends that the product is used in conjunction with 3M<sup>™</sup> ScotchBrite<sup>™</sup> Copper or Grey Scuff Sponges or Multi-Flex pads.

### Product highlights:

- Micro crystals provide a homogenous matt surface allowing better overall paint adhesion
- Up to 50% faster than with ScotchBrite<sup>™</sup> alone
- Natural cleaning agents remove wax, grease, tar, silicone, tree resin and water-borne contaminates leaving a clean non-greasy surface

## 3) Physical Properties

Flash Point:	>93.3°C
VOCs:	30.9gms/litre
рН	Approximately 8.0
Viscosity:	Approximately 15,000 cps

### 4) Directions for Use

Flatting pastes/gels are used to increase the matting performance of ScotchBrite™ by as much as 50%. 3M™ Scuff-it™ will also clean tar and resin residues, etc. It is recommended to use 3M™ Scuff-it™ with either Copper or Ultrafine (Grey) ScotchBrite™ Scuff Sponges or Pre-cut or Multi-flex sheets. The Copper ScotchBrite™ will give a slightly finer finish, the Grey will give slightly more aggression.

# **3M**

# **Technical Data Sheet**

Effective: 19/08/2020 Supersedes: 12/12/2001

- 1. Wipe/wash off any loose dirt before starting.
- 2. Apply 3M<sup>™</sup> Scuff-it<sup>™</sup> to the pad/sponge. On horizontal surfaces apply directly to the panel. Use sparingly, but slightly more material will be needed is using a new pad
- 3. Lightly wet the surface of the panel with a water spray
- 4. Sand as normal with ScotchBrite™ using light to medium pressure. Clean off with a rubber squeegee to check if surface is completely matt
- 5. When prepping the 'C Post' or areas for smart repair it is essential that the finish in these critical areas is fine enough to polish out with ease. For these areas we would recommend the use of Scuff-it™ on a cloth/wipe instead of ScotchBrite™
- 6. When finished, clean off with water. Before painting clean to the manufacturer's recommendation for whichever paint is being used
- 7. Clean off any residue on unpainted plastics or rubbers as soon as the job is finished. Scuff-it™ will not stain these but care should be taken not to physically scuff these parts. Rough masking of such parts is recommended as best practise

## 5) Storage

Avoid frost Store upright Practical shelf life is 2 years

## 6) Safety

Potential hazards: May cause skin and eye irritation

Eye contact: Immediately flush eyes with large amounts of water. Seek immediate medical attention

Skin contact: Wash affected area with soap and water

Inhalation: Remove person to fresh air. If breathing is difficult, seek immediate medical attention

Ingestion: Drink two glasses of water. Call a medical practitioner

Material Safety Data Sheet available on request



# **Technical Data Sheet**

Effective: 19/08/2020 Supersedes: 12/12/2001

3M<sup>™</sup> Scuff-it<sup>™</sup> Matt Gel 50018 is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

## 7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, 3M expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

#### For Additional Health and Safety Information

3M United Kingdom plc	3M Ireland Limited	3M Denmark a/s
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
3M Centre,	The Iveagh Building	Hannemanns Allé 53
Cain Road,	Carrickmines Park	2300 København S
Bracknell,	Carrickmines , Dublin 18	
RG12 8HT	Tel: +353 12160301	
Tel: +44 (0)161 237 6391	aadukenquiries@mmm.com	Tel: +45 43480100
aadukenquiries@mmm.com	www.3Mbodyshop.co.uk	aadukenquiries@mmm.com
www.3Mbodyshop.co.uk		www.3MAuto.dk
3M Finland, Suomen 3M Oy	3M Svenska AB	3M Norge AS
Automotive Aftermarket	Automotive Aftermarket	Automotive Aftermarket
Keilaranta 6	Herrjärva torg 4	Kanalveien 2
02150 Espoo	170 67 Solna	2004 Lillestrøm
Tel: 09 5252 1	Tel: 08-922100	Tel: 06384
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3M.fi/autotuotteet	www.3M.se/bileftermarkad	www.3m.no/auto
3M Latvija	3M Eesti OU	3M Lietuva
K.Ulmana 5	Pärnu mnt. 158	A.Goštauto str. 40 A
Riga, LV-1004	11317 Tallinn	LT-01112 Vilnius
Tel: +371 67066120	Tel: +372 6 115 902	Tel: +370 5 2160780
aadukenquiries@mmm.com	aadukenquiries@mmm.com	aadukenquiries@mmm.com
www.3m.lv	www.3m.ee	www.3m.lt

© 3M 2020. 3M, Scotch-Brite and Scuff-It are all trademarks of the 3M company. All rights reserved